

**Tree insect pests and pathogens: a global systematic review of their impacts in urban setting; Urban Ecosystems; Raum, S. et al., Technical University Munich / Imperial College London, susanne.raum@tum.de**

**Supplementary Information SI4 – List of excluded references**

No.	Full Details of Excluded References	Reasons for Exclusion
1	Ak, K., Güçlü, S. & Tuncer, C. (2010). A new kiwi fruit pest, <i>Lymantor coryli</i> (Perris, 1853) (Coleoptera: Scolytidae) in Turkey. <i>Türk. entomol. derg.</i> , 2010, 34 (3): 391-397	No full text in English
2	Anderson, T., & Dragicevic, S. (2016). A geosimulation approach for data scarce environments: modeling dynamics of forest insect infestation across different landscapes. <i>ISPRS International Journal of Geo-Information</i> , 5(2), 9.	Wrong topic
3	Andrianjara, I.; Bordenave-Jacquemin, M.; Roy, V.; Cabassa, C.; Federici, P.; Carmignac, D.; Marcangeli, Y.; Rouhan, G.; Renard, M.; Nold, F.; Lata, J. C.; Genet, P.; Planchais, S. (2021). Urban tree management: Diversity of <i>Tilia</i> genus in streets and parks of Paris based on morphological and genetic characteristics. <i>Urban Forestry and Urban Greening</i> , 66.	Wrong topic
4	Araújo, Y. R. V., Moreira, Z. C. G., Borges, L. A. C., de Souza, Á. N., & Coelho Junior, L. M. (2019). Urban forest evaluation of João Pessoa city, Paraíba, Brazil. <i>Scientia Forestalis</i> , (121), 71-82.	No full text in English
5	Arnberger, A., Schneider, I. E., Eder, R., & Choi, A. (2020). Differences in urban forest visitor preferences for emerald ash borer-impacted areas. <i>Forestry: An International Journal of Forest Research</i> , 93(2), 225-238.	Wrong topic
6	Augustin, S., Guichard, S., Heitland, W., Freise, J., Svatoš, A., & Gilbert, M. (2009). Monitoring and dispersal of the invading Gracillariidae Cameraria ohridella. <i>Journal of Applied Entomology</i> , 133(1), 58-66.	Literature Review
7	Augustin, S., Guichard, S., Svatoš, A., & Gilbert, M. (2004). Monitoring the regional spread of the invasive leafminer Cameraria ohridella (Lepidoptera: Gracillariidae) by damage assessment and pheromone trapping. <i>Environmental Entomology</i> , 33(6), 1584-1592.	No clear urban/rural distinction
8	Aukema, J. E., Leung, B., Kovacs, K., Chivers, C., Britton, K. O., Englin, J., ... & Von Holle, B. (2011). Economic impacts of non-native forest insects in the continental United States. <i>PLoS one</i> , 6(9), e24587.	No clear urban/rural distinction
9	Aukema, J. E., McCullough, D. G., Von Holle, B., Liebhold, A. M., Britton, K., & Frankel, S. J. (2010). Historical accumulation of nonindigenous forest pests in the continental United States. <i>BioScience</i> , 60(11), 886-897.	No clear urban/rural distinction
10	Bai, L., Tian, C.M., Hong, C.H. .... Liu, H.G. (2015). The relationship between pine forest landscape patterns and pine wilt disease in Yichang, Hubei Province. <i>Acta Ecologica Sinica</i> , 35(24), 8107-8116.	No full text in English
11	Bancroft, J.S., Smith, M.T., Dispersal and influences on movement for <i>Anoplophora glabripennis</i> calculated from individual mark-recapture (2005). <i>Entomol. Exp. Appl.</i> , 116 (2), pp. 83-92.	Wrong setting
12	Baranchikov, Y., Mozolevskaya, E., Yurchenko, G., & Kenis, M. (2008). Occurrence of the emerald ash borer, <i>Agrilus planipennis</i> in Russia and its potential impact on European forestry. <i>EPPO bulletin</i> , 38(2), 233-238.	Literature Review
13	Bari, L., Dimini, D., Glavaš, M., & Hrašovec, B. (2008). THE HEALTH CONDITION OF URBAN TREES IN PAKRAC WITH A SPECIAL FOCUS ON LEAF DISEASES AND INSECT PESTS. <i>Radovi</i> , 43(1), 59-69.	No full text in English
14	Zhukova, E. A., Morozova, O. V., Volobuev, S. V., & Bryantseva, Y. S. (2017). Basidiale Makromyceten und ihr Einfluss auf den Zustand der Grünflächen der Gärten des Russischen Museums (St. Petersburg). <i>Mykologie und Phytopathologie</i> , 51(6).	No full text available
15	Bastian, R. A., & Hart, E. R. (1990). First-generation parasitism of the mimosa webworm (Lepidoptera: Plutellidae) by <i>Elasmus albizziae</i> (Hymenoptera: Eulophidae) in an urban forest. <i>Environmental entomology</i> , 19(2), 409-414.	No specific impact
16	Baumgartner, K., & Rizzo, D. M. (2001). Distribution of <i>Armillaria</i> species in California. <i>Mycologia</i> , 93(5), 821-830.	No specific impact

17	Bernadovicová, S., & Ivanová, H. (2008). Leaf spot disease on <i>Tilia cordata</i> caused by the fungus <i>Cercospora microsora</i> . <i>Biologia</i> , 63(1), 44-49.	No specific impact
18	Bily, D. S., Diehl, S. V., Cook, M., Wallace, L. E., Sims, L. L., Watson, C., & Baird, R. E. (2018). Temporal and locational variations of a <i>Phytophthora</i> spp. community in an urban forested water drainage and stream-runoff system. <i>Southeastern Naturalist</i> , 17(1), 176-201.	Wrong topic
19	Blood, R. R. Y., Carraro, T. D. A., Figueiredo, J. G., & Mio, L. L. M. D. (2020). Persimmon anthracnose: a comparative study of aggressiveness on shoot and fruit among <i>Colletotrichum horii</i> isolates in southern Brazil. <i>Ciência Rural</i> , 50.	No full text in English
20	Boland, J. M.; Woodward, D. L. (2019). Impacts of the invasive shot hole borer ( <i>Euvallacea kuroshio</i> ) are linked to sewage pollution in southern California: the Enriched Tree Hypothesis. <i>PeerJ</i> 7.	Wrong setting
21	Branco, M., Nunes, P., Roques, A., Fernandes, M. R., Orazio, C., & Jactel, H. (2019). Urban trees facilitate the establishment of non-native forest insects. <i>NeoBiota</i> , 52, 25-46.	Literature Review
22	Brokerhoff, E. G., Dick, M., Ganley, R., Roques, A., & Storer, A. J. (2016). Role of insect vectors in epidemiology and invasion risk of <i>Fusarium circinatum</i> , and risk assessment of biological control of invasive <i>Pinus contorta</i> . <i>Biological invasions</i> , 18(4), 1177-1190.	Literature Review
23	Brokerhoff, E. G., Liebhold, A. M., Richardson, B., & Suckling, D. M. (2010). Eradication of invasive forest insects: concepts, methods, costs and benefits. <i>New Zealand Journal of Forestry Science</i> . 40 suppl.: S117-S135., 40(suppl), S117-S135.	Literature Review
24	Brown, W. P., & Zuefle, M. E. (2009). Does the periodical cicada, <i>Magicicada septendecim</i> , prefer to oviposit on native or exotic plant species? <i>Ecological Entomology</i> , 34(3), 346-355.	Wrong setting
25	Buchelos, C. T.; Papadopoulou, S.; Chryssohoides, C.; Nota, I. (2017). List of trees and shrubs infested by <i>Kalotermes flavicollis</i> (Kalotermitidae) in Greece. <i>EPPO Bulletin</i> 47(2):269-273.	Wrong topic
26	Bulaji?, A., Djeki?, I., Jovi?, J., Krnjaji?, S., Vu?urovi?, A., & Krsti?, B. (2010). <i>Phytophthora ramorum</i> occurrence in ornamentals in Serbia. <i>Plant Disease</i> , 94(6), 703-708.	Wrong Topic
27	Cappaert, D., McCullough, D. G., Poland, T. M., & Siegert, N. W. (2005). Emerald ash borer in North America: a research and regulatory challenge. <i>American Entomologist</i> . 51 (3): 152-165., 51(3).	Literature Review
28	Castagnoli, M., Lewandowski, M., Labanowski, G. S., Simoni, S., & Soika, G. M. (2009). An insight into some relevant aspects concerning eriophyoid mites inhabiting forests, ornamental trees and shrubs. <i>Eriophyoid mites: progress and prognoses</i> , 169-189.	Literature Review
29	Chireceanu, C., Chiriloae, A., Teodoru, A., & Sivu, C. (2015). Contribution to knowledge of the gall insects and mites associated with plants in southern Romania. <i>Scientific Papers, Series B</i> , 59, 27-36.	Multiple insect/ pathogen and tree species
30	Chirkov, S. N., & Prikhod'ko, Y. N. (2015). Genetic diversity and population structure of Plum pox virus in Russia. <i>AGRICULTURAL BIOLOGY</i> , 5, 529-539.	No full text in English
31	Chung, C. L., Huang, S. Y., Huang, Y. C., Tzean, S. S., Ann, P. J., Tsai, J. N., ... & Liou, R. F. (2015). The genetic structure of <i>Phellinus noxius</i> and dissemination pattern of brown root rot disease in Taiwan. <i>PLoS One</i> , 10(10), e0139445.	No specific impact
32	Cleary, M. R., Blomquist, M., Vetukuri, R. R., B÷hlenius, H., & Witzell, J. (2017). Susceptibility of common tree species in Sweden to <i>Phytophthora cactorum</i> , <i>P. ácambivora</i> and <i>P. áplurivora</i> . <i>Forest Pathology</i> , 47(3), e12329.	No clear urban/rural distinction
33	Cleary, M., Ghasemkhani, M., Blomquist, M., & Witzell, J. (2016). First report of <i>Phytophthora gonapodyides</i> causing stem canker on European beech ( <i>Fagus sylvatica</i> ) in Southern Sweden. <i>Plant Disease</i> , 100(10), 2174.	No specific impact
34	Cleary, M., Oskay, F., Rönnberg, J., & Woodward, S. (2018). First report of <i>Pleuroceras pseudoplatani</i> on <i>Acer rubrum</i> , <i>A. griseum</i> , <i>A. saccharinum</i> , <i>A. negundo</i> , <i>A. circinatum</i> and <i>A. macrophyllum</i> in Scotland. <i>Forestry Chronicle</i> .	Wrong setting
35	Clem, C. S., & Held, D. W. (2018). Associational Interactions Between Urban Trees: Are Native Neighbors Better Than Non-Natives? <i>Environmental entomology</i> , 47(4), 881-889.	Multiple insect/ pathogen and tree species
36	Coffelt, M. A., & Schultz, P. B. (1992). Parasitism of orangestriped oakworm (Lepidoptera: Saturniidae) eggs in the urban landscape. <i>Biological Control</i> , 2(4), 306-311.	Wrong topic

37	Colunga-Garcia, M.; Haack, R. A.; Adelaja, A. O. (2009). Freight transportation and the potential for invasions of exotic insects in urban and Periurban Forests of the United States. <i>Journal of Economic Entomology</i> 102(1):237-246	Wrong topic
38	Cregg, B. M., & Dix, M. E. (2001). Tree moisture stress and insect damage in urban areas in relation to heat island effects. <i>Journal of Arboriculture</i> , 27(1), 8-17.	Multiple insect/ pathogen and tree species
39	Crouch, C. D., Grady, A. M., Wilhelmi, N. P., Hofstetter, R. W., DePinte, D. E., & Waring, K. M. (2021). Oystershell scale: an emerging invasive threat to aspen in the southwestern US. <i>Biological Invasions</i> , 23(9), 2893-2912.	No clear urban/rural distinction
40	Crous, C. J., Burgess, T. I., Le Roux, J. J., Richardson, D. M., Slippers, B., & Wingfield, M. J. (2017). Ecological disequilibrium drives insect pest and pathogen accumulation in non-native trees. <i>AoB Plants</i> , 9(1), plw081.	Literature Review
41	Cuddington, K.; Sobek-Swant, S.; Crosthwaite, J. C.; Lyons, D. B.; Sinclair, B. J. (2018). Probability of emerald ash borer impact for Canadian cities and North America: a mechanistic model. <i>Biological Invasions</i> 20(9):2661-2677.	Wrong topic
42	Cui, X., Shu, H., Jiang, L., ... Guo, S. (2018). Identification of pathogens causing brown spot and the role of MeJA in disease resistance in <i>Stevia rebaudiana</i> . <i>Scientia Agricultura Sinica</i> 51 (18), 3520-3530.	No full text in English
43	da Silva Junior, J. G.; Peres-Filho, O.; Dorval, A.; de Souza, M. D.; do Nascimento, D. A. (2017). Case record, <i>Hypothenemus seriatus</i> Eichhoff, 1872 (Coleoptera: Scolytinae) in fruit of Babaçu in the city of Nossa Senhora do Livramento, Mato Grosso, Brazil. <i>Revista Espacios</i> 38(28).	No full text in English
44	Dale, A. G.; Frank, S. D. (2014). The effects of urban warming on herbivore abundance and street tree condition. <i>PLOS ONE</i> 9(7).	Wrong topic
45	Dale, A. G.; Frank, S. D. (2017). Warming and drought combine to increase pest insect fitness on urban trees. <i>PLOS ONE</i> 12(3).	Wrong topic
46	D'ALMEIDA, Y. A., Lys, J. A., Neuenschwander, P., & Ajuonu, O. (1998). Impact of two accidentally introduced Encarsia species (Hymenoptera: Aphelinidae) and other biotic and abiotic factors on the spiralling whitefly <i>Aleurodicus dispersus</i> (Russell) (Homoptera: Aleyrodidae), in Benin, West Africa. <i>Biocontrol Science and Technology</i> , 8(1), 163-173.	Wrong Topic
47	Daniels, D. A., Nix, K. A., Wadl, P. A., Vito, L. M., Wiggins, G. J., Windham, M. T., ... & Hadziabdic, D. (2016). Thousand cankers disease complex: a forest health issue that threatens <i>Juglans</i> species across the US. <i>Forests</i> , 7(11), 260.	Literature Review
48	Darr, M. N., & Coyle, D. R. (2021). Fall Cankerworm (Lepidoptera: Geometridae), a Native Defoliator of Broadleaved Trees and Shrubs in North America. <i>Journal of Integrated Pest Management</i> , 12(1), 23.	Literature Review
49	Demina, G. V., Prokhortenko, N. B., & Zakirov, B. R. (2017). PHYTOSANITARY STATE OF KAZAN CENTER GREEN PLANTATIONS. <i>INDO AMERICAN JOURNAL OF PHARMACEUTICAL SCIENCES</i> , 4(9), 3090-3094.	Multiple insect/ pathogen and tree species
50	Desprez-Loustau, M. L.; Balci, Y.; Cornara, D.; Gonthier, P.; Robin, C.; Jacques, M. A. (2021). Is <i>Xylella fastidiosa</i> a serious threat to European forests? <i>Forestry</i> 94(1):1-17.	Wrong setting
51	Ding, S., Hu, H., & Gu, J. D. (2020). Diversity, Abundance, and Distribution of Wood-Decay Fungi in Major Parks of Hong Kong. <i>Forests</i> , 11(10), 1030.	Multiple insect/ pathogen and tree species
52	do Nascimento Machado, D., Costa, E. C., Perini, C. R., Ugalde, G. A., Saldanha, M. A., Leitão, J. V., ... & Rivera, A. C. (2019). The ongoing dispersion of the <i>Eucalyptus</i> bronze bug ( <i>Thaumastocoris peregrinus</i> ) in Spain. <i>Forest Systems</i> , 28(3), eSC03-eSC03.	No specific impact
53	Dodds, K. J., & Orwig, D. A. (2011). An invasive urban forest pest invades natural environments—Asian longhorned beetle in northeastern US hardwood forests. <i>Canadian Journal of Forest Research</i> , 41(9), 1729-1742.	Wrong setting
54	Donovan, G. H., Butry, D. T., Michael, Y. L., Prestemon, J. P., Liebhold, A. M., Gatziolis, D., & Mao, M. Y. (2013). The relationship between trees and human health: evidence from the spread of the emerald ash borer. <i>American journal of preventive medicine</i> , 44(2), 139-145.	No clear urban/rural distinction
55	EFSA Panel on Plant Health (PLH). (2014). Scientific Opinion on the pest categorisation of <i>Ceratocystis platani</i> (Walter) Engelbrecht et Harrington. <i>EFSA Journal</i> , 12(10), 3858.	Literature Review

56	Erkan, N. (2011). Impact of pine processionary moth ( <i>Thaumetopoea wilkinsoni</i> Tams) on growth of Turkish red pine ( <i>Pinus brutia</i> Ten.). African Journal of Agricultural Research, 6(21), 4983-4988.	Wrong setting
57	Ermolaev, I. (2019). Ecological mechanisms of nonperiodical population wave: a case study of the poplar leafminer- <i>Phyllonorycter populifoliella</i> (Lepidoptera, Gracillariidae). ZHURNAL OBSHCHEI BIOLOGII, 80(6), 451-476.	No full text in English
58	Ezhov, O. N. (2016). Aphyllophorales in the urban plantations of Arkhangelsk Region. Izv. VUZov. Lesnoj zhurnal, (2), 59-68.	No full text in English
59	Fernandez Winzer, L., Berthon, K. A., Carnegie, A. J., Pegg, G. S., & Leishman, M. R. (2019). <i>Austropuccinia psidii</i> on the move: survey based insights to its geographical distribution, host species, impacts and management in Australia. Biological Invasions, 21(4), 1215-1225.	No clear urban/rural distinction
60	Ferracini, C., & Alma, A. (2014). Evaluation of the community of native euphorid parasitoids on <i>Cameraria ohridella</i> Deschka and Dimic in urban areas. Environmental entomology, 36(5), 1147-1153.	No specific impact
61	Firsov, G.A., Malysheva, V., Malysheva, E., ..., Volchanskaya, A.V. (2016). New data on distribution of phytophthora species and their influence on woody plants in the Botanical Garden of Peter the Great (Bin Ras, St. Petersburg). Mikologiya   Fitopatologiya 50(6):401-414	No full text in English
62	Foran, C. M.; Baker, K. M.; Narcisi, M. J.; Linkov, I. (2015). Susceptibility assessment of urban tree species in Cambridge, MA, from future climatic extremes. Environment Systems and Decisions;35(3):389-400.	Wrong topic
63	Foss, L. K., & Rieske, L. K. (2003). Species-specific differences in oak foliage affect preference and performance of gypsy moth caterpillars. Entomologia Experimentalis et Applicata, 108(2), 87-93.	No clear urban/rural distinction
64	Frank, S. D. (2021). Review of the direct and indirect effects of warming and drought on scale insect pests of forest systems. Forestry: An International Journal of Forest Research, 94(2), 167-180.	Literature Review
65	Frank, S. D., Klingeman III, W. E., White, S. A., & Fulcher, A. (2013). Biology, injury, and management of maple tree pests in nurseries and urban landscapes. Journal of Integrated Pest Management, 4(1), B1-B14.	Literature Review
66	Fuentes, A. H.; Valdivia, W. N.; Clericus, J. A.; Alegría, F. M. (2011). Composition and classification of insect damage on <i>Nothofagus glauca</i> (Fagaceae), Maule Region, Chile. Revista Colombiana de Entomología, 37(1), 56-61.	Wrong setting
67	Fujihara, M., Toyohara, G., Hada, Y., & Iwatsuki, Z. (1992). Successional stages and degree of damage of secondary pine forests in Hiroshima City, western Japan. Japanese Journal of Ecology, 42(1), 71-79.	No full text in English
68	Gao, L., Wang, J., Wang, Z., Li, Y., & Ju, R. (2020). Morphological characteristics and occurrence status of the dangerous pest, <i>Acanthotomicus suncei</i> (Coleoptera: Curculionidae: Scolytinae). Sci. Silvae Sin, 56, 193-198.	No full text in English
69	Gazal, V., Bailez, O., & Viana-Bailez, A. M. (2019). Termite (Isoptera) survey in urban area in Northern of Rio de Janeiro State, Brazil. Revista Colombiana de Entomología, 45(1).	No specific impact
70	Ghelardini, L., Pepori, A. L., Luchi, N., Capretti, P., & Santini, A. (2016). Drivers of emerging fungal diseases of forest trees. Forest Ecology and Management, 381, 235-246.	Literature Review
71	Godefroid, M., Meurisse, N., Groenen, F., Kerdelhué, C., & Rossi, J. P. (2020). Current and future distribution of the invasive oak processionary moth. Biological Invasions, 22(2), 523-534.	No clear urban/rural distinction
72	Goncalves, A. M., Molina, R. D. O., Carvalho Nunes, W. M. D., & Zanutto, C. A. (2008). Incidence of <i>Dilobopterus costalimai</i> Young and <i>Acrogonia citrina</i> Marucci & Cavichioli, in citrus orchards in Northwestern Parana. ACTA SCIENTIARUM-AGRONOMY, 30(3), 321-324.	No full text in English
73	Graziosi, I., Tembo, M., Kuete, J., & Muchugi, A. (2020). Pests and diseases of trees in Africa: A growing continental emergency. Plants, People, Planet, 2(1), 14-28.	Literature Review
74	Greene, C. S. & Millward, A. A. (2017). The legacy of past tree planting decisions for a city confronting emerald ash borer ( <i>Agrilus planipennis</i> ) invasion. Frontiers in Ecology and Evolution 4.	Wrong topic

75	Hashemi, H., Mohammadi, H., & Abdollahzadeh, J. (2017). Symptoms and fungi associated with elm trees decline in Iran. <i>European Journal of Forest Research</i> , 136(5), 857-879.	Multiple insect/pathogen species
76	Hauer, R. J., Hanou, I. S., & Sivyer, D. (2020). Planning for active management of future invasive pests affecting urban forests: the ecological and economic effects of varying Dutch elm disease management practices for street trees in Milwaukee, WI USA. <i>Urban Ecosystems</i> , 23(5), 1005-1022.	Wrong topic
77	Hérard, F., & Maspero, M. (2019). History of discoveries and management of the citrus longhorned beetle, <i>Anoplophora chinensis</i> , in Europe. <i>Journal of pest science</i> , 92(1), 117-130.	Literature Review
78	Hoffman, C. M., Morgan, P., Mell, W., Parsons, R., Strand, E., & Cook, S. (2013). Surface fire intensity influences simulated crown fire behavior in lodgepole pine forests with recent mountain pine beetle-caused tree mortality. <i>Forest Science</i> , 59(4), 390-399.	Wrong setting
79	Hoffman, C., Morgan, P., Mell, W., Parsons, R., Strand, E. K., & Cook, S. (2012). Numerical simulation of crown fire hazard immediately after bark beetle-caused mortality in lodgepole pine forests. <i>Forest Science</i> , 58(2), 178-188.	Wrong setting
80	Holoborodko, K. K., Rusynov, V. I., Loza, I. M., & Pakhomov, O. Y. (2021). Adaptive features of the Phyllonorycter robiniella (Clemens, 1859) (Gracillariidae Stainton, 1854) population in urban ecosystems. <i>Ukrainian Journal of Ecology</i> , 11(2), 27-34.	No specific impact
81	Hong, C.H., Chen, J.Y., Zhao, Y. ... Zhang, X.Y. (2017). A correlation of pine wood nematode dispersal rate with human activities-a case study in the Three Gorges Reservoir Area. <i>Acta Ecologica Sinica</i> 37(20):6800-6808	No full text in English
82	Hong, Y., Tao, N., Qiang, C., & Li, C.P. (2016). Investigation on species of Limacodidae on <i>Prunus cerasifera</i> and sycamore in urban area of Wuhu City. <i>Chinese Journal of Schistosomiasis Control</i> , 28(6), 711-712.	No full text in English
83	Hood, G. R., Comerford, M., Weaver, A. K., Morton, P. M., & Egan, S. P. (2019). Human-mediated disturbance in multitrophic interactions results in outbreak levels of North America's most venomous caterpillar. <i>Biology Letters</i> , 15(9), 20190470.	Wrong topic
84	Horák, J., Holuša, J., Nováková, P., Lukášová, K., Loskotová, T., & Romportl, D. (2016). Agricultural landscapes with prevailing grasslands can mitigate the population densities of a tree-damaging alien species. <i>Agriculture, Ecosystems &amp; Environment</i> , 230, 177-183.	Wrong topic
85	Horner, R., Paterson, G., Walker, J. T., Perry, G. L., Jaksons, R., & Suckling, D. M. (2020). Will peri-urban <i>Cydia pomonella</i> (Lepidoptera: Tortricidae) challenge local eradication? <i>Insects</i> , 11(4), 207.	No specific impact
86	Hubbes, M. (1999). The American elm and Dutch elm disease. <i>The Forestry Chronicle</i> , 75(2), 265-273.	Literature Review
87	Hulbert, J. M., Agne, M. C., Burgess, T. I., Roets, F., & Wingfield, M. J. (2017). Urban environments provide opportunities for early detections of Phytophthora invasions. <i>Biological invasions</i> , 19(12), 3629-3644.	Literature Review
88	Inoue, T., & Shinkaji, N. (1989). Studies on the life history of the fleabeetle, <i>Argopistes coccinelliformis</i> Csiki (Coleoptera: Chrysomelidae). I. Feeding habits and seasonal development on various trees of oleaceae. <i>Japanese Journal of Applied Entomology and Zoology</i> , 33, 217-222.	No full text in English
89	Irzykowska, L., Werner, M., Bocianowski, J., Karolewski, Z., & Fruyska-Jówiak, D. (2013). Genetic variation of horse chestnut and red horse chestnut and trees susceptibility to <i>Erysiphe flexuosa</i> and <i>Cameraria ohridella</i> . <i>Biologia</i> , 68(5), 851-860.	Wrong topic
90	Ivanová, H., Bernadovicová, S., & Pastircáková, K. (2010). The influence of selected climatological characteristics on antracnose disease development in plane trees. <i>Ekológia</i> , 29(4), 430.	No full text available
91	Izón, G. M., Hand, M. S., Fontenla, M., & Berrens, R. P. (2010). The economic value of protecting inventoried roadless areas: a spatial hedonic price study in New Mexico. <i>Contemporary Economic Policy</i> , 28(4), 537-553.	Wrong topic
92	Jacobi, W. R., Koski, R. D., & Negron, J. F. (2013). Dutch elm disease pathogen transmission by the banded elm bark beetle <i>Scolytus schevyrewi</i> . <i>Forest Pathology</i> , 43(3), 232-237.	No specific impact
93	Jin, A.X., Tian, C.M. & Zhao, P. (2006). Occurrence and control of urban forest biological disaster in China. <i>Forest Research</i> 19(5):653-659.	No full text in English

94	Jurc, M. (2012). The lime leafminer ( <i>Phyllonorycter issikii</i> ) in Slovenia. Šumarski list, 136(3-4), 119-127.	No full text in English
95	Jurskis, V. (2005). Eucalypt decline in Australia, and a general concept of tree decline and dieback. <i>Forest Ecology and Management</i> , 215(1-3), 1-20.	Literature Review
96	Just, M. G., Dale, A. G., & Frank, S. D. (2020). Gloomy scale (Hemiptera: Diaspididae) ecology and management on landscape trees. <i>Journal of Integrated Pest Management</i> , 11(1), 24.	Literature Review
97	Karamaouna, F., & Kontodimas, D. C. (2010). New threat from an insect borer in urban trees in Greece. <i>Hellenic Plant Protection Journal</i> , 3(1), 1-5.	Literature Review
98	Khdiar, M. Y., Barber, P. A., Hardy, G. E., Shaw, C., Steel, E. J., McMains, C., & Burgess, T. I. (2020). Association of phytophthora with declining vegetation in an urban forest environment. <i>Microorganisms</i> , 8(7), 973.	Wrong topic
99	Khdiar, M. Y., Burgess, T. I., Scott, P. M., Barber, P. A., & Hardy, G. E. S. J. (2020). Pathogenicity of nineteen Phytophthora species to a range of common urban trees. <i>Australasian Plant Pathology</i> , 49(6), 619-630.	Multiple insect/pathogen and tree species
100	Khorsandy, S., Nikbakht, A., Sabzalian, M. R., & Pessarakli, M. (2016). Effect of fungal endophytes on morphological characteristics, nutrients content and longevity of plane trees ( <i>Platanus orientalis</i> L.). <i>Journal of Plant Nutrition</i> , 39(8), 1156-1166.	Wrong topic
101	Koch, F. H.; Yemshanov, D.; Colunga-Garcia, M.; Magarey, R. D.; Smith, W. D. (2011). Potential establishment of alien-invasive forest insect species in the United States: Where and how many? <i>Biological Invasions</i> 13(4):969-985	Wrong setting
102	Koch, F. H.; Yemshanov, D.; Haack, R. A.; Magarey, R. D. (2014). Using a network model to assess risk of forest pest spread via recreational travel. <i>PLOS ONE</i> 2014;9(7):	Wrong topic
103	Koch, F. H.; Yemshanov, D.; Magarey, R. D.; Smith, W. D. (2012). Dispersal of invasive forest insects via recreational firewood: A quantitative analysis. <i>Journal of Economic Entomology</i> 105(2):438-450	Wrong topic
104	Koski, R.; Jacobi, W. R. (2004). Tree pathogen survival in chipped wood mulch. <i>Journal of Arboriculture</i> 30(3):165-171	Wrong topic
105	Kovacs, K. F., Mercader, R. J., Haight, R. G., Siegert, N. W., McCullough, D. G., & Liebhold, A. M. (2011). The influence of satellite populations of emerald ash borer on projected economic costs in US communities, 2010–2020. <i>Journal of Environmental Management</i> , 92(9), 2170-2181.	No clear urban/rural distinction
106	Kranjec Orlović, J., Bulovec, I., Franjević, M., Franjević, D., Skejo, J., Biliškov, M., ... & Hrašovec, B. (2021). Preliminary results on narrow-leaved ash ( <i>Fraxinus angustifolia</i> Vahl) and green ash ( <i>Fraxinus pennsylvanica</i> Marshall) seed entomofauna in Croatia. Šumarski list, 145(3-4), 147-154.	No full text in English
107	Krishnankutty, S. M., Bigsby, K., Hastings, J., Takeuchi, Y., Wu, Y., Lingafelter, S. W., ... & Ray, A. M. (2020). Predicting establishment potential of an invasive wood-boring beetle, <i>Trichoferus campestris</i> (Coleoptera: Cerambycidae) in the United States. <i>Annals of the Entomological Society of America</i> , 113(2), 88-99.	No clear urban/rural distinction
108	Kruger, H. (2016). Designing local institutions for cooperative pest management to underpin market access: the case of industry-driven fruit fly area-wide management. <i>International Journal of the Commons</i> , 10(1).	Wrong topic
109	Kuate, J., Manga, B., Damesse, F., Kouodiekong, L., Ndindeng, S. A., David, O., & Parrot, L. (2006). Fruit trees cultivated in family farms in the humid zone of Cameroon: a survey. <i>FRUITS-PARIS-</i> , 61(6), 373.	No full text in English
110	Laflamme, G. (2009). Earliest documented report of Scleroderris canker in North America: damage believed until now to be caused by summer frost. <i>Phytoprotection</i> , 90(3), 89-95.	Wrong setting
111	Langor, D. W., Cameron, E. K., MacQuarrie, C. J., McBeath, A., McClay, A., Peter, B., ... & Pohl, G. R. (2014). Non-native species in Canada's boreal zone: diversity, impacts, and risk. <i>Environmental Reviews</i> , 22(4), 372-420.	Wrong topic
112	Lehmann, M. (1996). Leaf destroying pests at trees on avenues in the Land Brandenburg in the years 1993 to 1995. <i>Gesunde Pflanzen</i> , 48, 1, 20-27.	No full text available
113	Lesovoy, N., Fedorenko, V., Vigera, S., Chumak, P., Kliuchevych, M., Strygun, O., ... & Vagaliuk, L. (2020). Biological, Trophological, Ecological and Control Features of Horse-Chestnut Leaf Miner ( <i>Camptaria ohridella</i> Deschka & Dimic). <i>Ukrainian Journal of Ecology</i> , 10(3), 24-27.	No full text in English

114	Li, H. P., Wickham, J. D., Bushley, K., Wang, Z. G., Zhang, B., & Sun, J. H. (2020). New approaches in urban forestry to minimize invasive species impacts: The case of Xiongan new area in China. <i>Insects</i> , 11(5), 300.	Literature Review
115	Li, J.; Sun, B.; Guo, Y.; Liu, J.; Chi, B.; Kong, F.; Liu, Y. (2020). Effects of different grass-growing patterns on the main pests and their natural enemies in pear orchards. <i>Journal of Fruit Science</i> , 37(10), 1545-1554	No full text in English
116	Li, W. W., An, G. C., Guo, S. X., Zhao, Y. M., Zhou, C. G., Li, J. Q., & Yin, C. (2016). Ecological characteristics of Shivaphis pteroceltis (Hemiptera: Aphididae), a new pest on Pteroceltis tatarinowii. <i>Scientia Silvae Sinicae</i> , 52, 120-125.	Study not found
117	Liu, D.; Lin, W.; Xiong, D.; Niu, C.; Ye, X.; Tian, C. (2019). Mixed effects of landscape complexity and stand factors on cytospora canker of poplar across two different field soil conditions. <i>Journal of Beijing Forestry University</i> 2019;41(12):128-138.	No full text in English
118	Liu, H., Luo, Y., Wen, J., Zhang, Z., Feng, J., & Tao, W. (2006). Pest risk assessment of <i>Dendroctonus valens</i> , <i>Hyphantria cunea</i> and <i>Apriona swainsoni</i> in Beijing. <i>Frontiers of Forestry in China</i> , 1(3), 328-335.	No full text in English
119	Lohr, V. I. (2013). Diversity in landscape plantings: Broader understanding and more teaching needed. <i>HortTechnology</i> 23(1):126-129	Wrong topic
120	Longo, S., & Rapisarda, C. (2014). Spread of <i>P araleyrodes minei l accarino</i> (nesting whitefly) in Italian citrus groves. <i>EPPO Bulletin</i> , 44(3), 529-533.	No clear urban/rural distinction
121	Lopes, A., Barradas, C., Phillips, A. J. L., & Alves, A. (2016). Diversity and phylogeny of <i>Neofusicoccum</i> species occurring in forest and urban environments in Portugal. <i>Mycosphere</i> , 7, 906-920.	No clear urban/rural distinction
122	Lorenzetti, G. A. T., Potrich, M., Mazaro, S. M., Lozano, E. R., Gonçalves, T. E., & Dallacort, S. (2017). Spontaneous occurrence of <i>Beauveria bassiana</i> Vuill. 1912 (Ascomycetes: Clavicipitaceae) on <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). <i>Ciência Florestal</i> , 27(4), 1403-1407.	No full text in English
123	Lovett, G. M., Weiss, M., Liebold, A. M., Holmes, T. P., Leung, B., Lambert, K. F., ... & Weldy, T. (2016). Nonnative forest insects and pathogens in the United States: Impacts and policy options. <i>Ecological applications</i> , 26(5), 1437-1455.	Literature Review
124	Luchi, N., Ghelardini, L., Belbahri, L., Quartier, M., & Santini, A. (2013). Rapid detection of <i>Ceratostys platani</i> inoculum by quantitative real-time PCR assay. <i>Applied and Environmental Microbiology</i> , 79(17), 5394-5404.	No specific impact
125	Luki, I., Zgrabli, Ž., & Mieti Stankovi, V. (2019). Presence of birch bark beetle ( <i>Scolytus ratzeburgi</i> ) in Croatia. <i>Šumarski list</i> , 143(11-12), 523-528.	No full text in English
126	Lutinski, J. A.; Lutinski, C. J.; Mello Garcia, F. R. (2006). First record of <i>Glycaspis brimblecombei</i> Moore 1964, (Hemiptera: Psyllidae) in eucalyptus in Santa Catarina State, Brazil. <i>Ciencia Rural</i> 2006;36(2):653-655.	No full text in English
127	Maceljski, M., & Balarin, I. (1974). Untersuchungen über einen neuen amerikanischen Schädling in Enropa, die Platanen-Netzwanze, <i>Corythucha ciliata</i> (Say). <i>Anzeiger für Schädlingskunde, Pflanzen-und Umweltschutz</i> , 47(11), 165-170.	Literature Review
128	MacFarlane, D. W., & Meyer, S. P. (2005). Characteristics and distribution of potential ash tree hosts for emerald ash borer. <i>Forest Ecology and Management</i> , 213(1-3), 15-24.	Literature Review
129	Martínez, J. F. R., García, C. N. C., Viveros, A. L. M., Gutiérrez-Rojas, M., & Ruiz-Juárez, D. (2020). Insect Pests of Trees in a Park in Mexico City.	No full text in English
130	Marzano, M.; Ambrose-Oji, B.; Hall, C.; Moseley, D. (2020). Pests in the city: Managing public health risks and social values in response to oak processionary moth ( <i>Thaumetopoea processionea</i> ) in the United Kingdom. <i>Forests</i> 11(2).	Wrong topic
131	Mason, C. J., Walsh, B., Keller, J., Couture, J. J., Calvin, D., & Urban, J. M. (2020). Fidelity and timing of spotted lanternfly (hemiptera: fulgoridae) attack patterns on ornamental trees in the suburban landscape. <i>Environmental entomology</i> , 49(6), 1427-1436.	No specific impact
132	Matoševi, D., & Pernek, M. (2011). Alien and invasive insects in Croatian forest Ecosystems and estimate of their damage. <i>Šumarski list</i> , 135(13), 264-270.	No full text in English

133	McPherson, E. G.; Kotow, L. (2013). A municipal forest report card: Results for California, USA. <i>Urban Forestry and Urban Greening</i> 12(2):134-143	Wrong topic
134	Meineke, E. K.; Dunn, R. R.; Frank, S. D. (2014). Early pest development and loss of biological control are associated with urban warming. <i>Biology Letters</i> 10(11).	Wrong topic
135	Meineke, E. K.; Dunn, R. R.; Sexton, J. O.; Frank, S. D. (2013). Urban Warming Drives Insect Pest Abundance on Street Trees. <i>PLOS ONE</i> 8(3).	Wrong topic
136	Melzer, T., Breuhahn, M., Rybak, M., & Doobe, G. (2019). Differential diagnosis of the pathogens <i>Pseudomonas syringae</i> pv. <i>aesculi</i> and <i>Phytophthora</i> spp. at <i>Aesculus</i> spp. in the urban area of Hamburg. <i>Journal für Kulturpflanzen</i> , 71(10), 253-263.	No full text in English
137	Meng, P. S., Hoover, K., & Keena, M. A. (2015). Asian longhorned beetle (Coleoptera: Cerambycidae), an introduced pest of maple and other hardwood trees in North America and Europe. <i>Journal of Integrated Pest Management</i> , 6(1).	Literature Review
138	Meyer, S., Rusterholz, H. P., & Baur, B. (2020). Urbanisation and forest size affect the infestation rates of plant-galling arthropods and damage by herbivorous insects. <i>European Journal of Entomology</i> , 117, 34-48.	Wrong topic
139	Migliorini, D.; Khdiar, M. Y.; Padrón, C. R.; Vivas, M.; Barber, P. A.; Hardy, G. E. S. J.; Burgess, T. I. (2019). Extending the host range of <i>Phytophthora multivora</i> , a pathogen of woody plants in horticulture, nurseries, urban environments and natural ecosystems. <i>Urban Forestry and Urban Greening</i> 46.	Wrong topic
140	Milonas, P. G., & Partsinevelos, G. K. (2014). First record of <i>Glycaspis brimblecombei</i> Moore, 1964 (Hemiptera: Psyllidae) in Greece. <i>Hellenic Plant Protection Journal</i> , 7(1), 19-23.	No full text in English
141	Mingaleva, N. A., Pestov, S. V., & Zagirova, S. V. (2011). Health status and biological damage to tree leaves in green areas of Syktyvkar. <i>Contemporary Problems of Ecology</i> , 4(3), 310-318.	Multiple insect/pathogen and tree species
142	Mirchev, P., Georgiev, G., & Tsankov, G. (2017). Long-term studies on egg parasitoids of pine processionary moth ( <i>Thaumetopoea pityocampa</i> ) in a new locality in Bulgaria. <i>Journal of the Entomological Research Society</i> , 19(3), 15-25.	Wrong topic
143	Montalva, C., Rojas, E., Ruiz, C., & Lanfranco, D. (2010). The cypress aphid in Chile: A review of the current situation and preliminary data of the biological control. <i>Bosque</i> , 31(2), 81-88.	Literature Review
144	Moore, G. M.; Lefoe, G. (2020). The effect of a heat wave on urban tree pests in Melbourne, australia: Examples that may inform climate change tree management. <i>Arboriculture and Urban Forestry</i> 46(2):135-147	Wrong topic
145	Morin, R. S., Liebold, A. M., Pugh, S. A., & Crocker, S. J. (2017). Regional assessment of emerald ash borer, <i>Agrilus planipennis</i> , impacts in forests of the Eastern United States. <i>Biological invasions</i> , 19(2), 703-711.	No clear urban/rural distinction
146	Murace, M., Luna, M. L., Ciuffani, M. G., & Perello, A. (2017). THE ANATOMICAL AND CHEMICAL MODIFICATIONS IN THE WOOD OF SPECIMENS OF TREES OF LA PLATA CITY (BUENOS AIRES) CAUSED BY <i>LAETIPORUS SULPHUREUS</i> (BASIDIOMYCOTA, POLYPORALES). <i>BOLETIN DE LA SOCIEDAD ARGENTINA DE BOTANICA</i> , 52(4), 647-661.	No full text in English
147	Musolin, D. L., Selikhovkin, A. V., Shabunin, D. A., Zviagintsev, V. B., & Baranchikov, Y. N. (2017). Between ash dieback and emerald ash borer: two Asian invaders in Russia and the future of ash in Europe. <i>Baltic Forestry</i> , 23(1), 316-333.	Literature Review
148	Mutun, S. (2009). <i>Corythucha ciliata</i> , a new <i>Platanus</i> pest in Turkey. <i>Phytoparasitica</i> , 37(1), 65-66.	Literature Review
149	Nadel, R. L., & Noack, A. E. (2012). Current understanding of the biology of <i>Thaumastocoris peregrinus</i> in the quest for a management strategy. <i>International Journal of Pest Management</i> , 58(3), 257-266.	Literature Review
150	Nakamura, K., Akiba, M., & Kanetani, S. (2001). Pine wilt disease as promising causal agent of the mass mortality of <i>Pinus armandii</i> Franch. var. <i>amamiana</i> (Koidz.) Hatusima in the field. <i>Ecological Research</i> , 16(4), 795-801.	No clear urban/rural distinction
151	Naoe, S. & Ikeda, T. (2011). Hazard Map for Pine Wilt Disease in Kyoto City. <i>Journal of the Japanese Forest Society</i> . 93 (1), 33-36.	No full text in English
152	Náplavová, K., & Gáper, J. (2016). Bioindication value of tar spot on maple trees in industrial areas: the case of Ostrava region, the Czech Republic.	No specific impact

153	Neacsu, I., & Rosca, I. (2015). RESEARCH ON PEST EVOLUTION TO PLATANUS SPP. FROM NURSERIES. <i>Scientific Papers-Series A, Agronomy</i> , 58, 254-259.	Wrong setting
154	Neto, A. J. D., Trevisan, H., Nascimento, L. S. D., & Carvalho, A. G. D. (2011). Description of damages and volume of wood phytomass of <i>Cassia siamea</i> lam stems cut for <i>Coccoderus novempunctatus</i> (coleoptera: cerambycidae). <i>Revista Árvore</i> , 35, 801-807.	Wrong setting
156	O'Donnell, K., Libeskind-Hadas, R., Hulcr, J., Bateman, C., Kasson, M. T., Ploetz, R. C., ... & Rooney, A. P. (2016). Invasive Asian Fusarium–Euwallacea ambrosia beetle mutualists pose a serious threat to forests, urban landscapes and the avocado industry. <i>Phytoparasitica</i> , 44(4), 435-442.	Literature Review
157	Oberemok, V. V., Laikova, K. V., Shumskykh, M. N., & Zaitsev, A. S. (2017). The first record of box tree moth in Crimea and a novel perspective of its biological control based on <i>Lymantria dispar</i> multicapsid nuclear polyhedrosis virus and DNA insecticides approach. <i>Entomologia Generalis</i> , 207-217.	No full text available
158	O'Callaghan, A. M. & Skelly, J. (2013). Community involvement to reduce insect threats to urban forests. <i>Journal of Extension</i> , 51(6).	Wrong topic
159	Ocampo Florez, V., Duran Prieto, J., Albornoz, M., & Forero, D. (2018). New plant associations for <i>Monalonion vlezangeli</i> (Hemiptera: Miridae) in green urban areas of Bogotá (Colombia). <i>Acta Biológica Colombiana</i> , 23(2), 205-208.	No full text in English
160	Oehlschlager, A. C. (2016). Palm weevil pheromones—discovery and use. <i>Journal of chemical ecology</i> , 42(7), 617-630.	Literature Review
161	Oleksyn, J., Kloeppe, B. D., Lukasiewicz, S., Karolewski, P., & Reich, P. B. (2007). Ecophysiology of horse chestnut ( <i>Aesculus hippocastanum</i> L.) in degraded and restored urban sites. <i>Polish Journal of Ecology</i> , Vol. 55 (2): 245-260.	Wrong topic
162	Orlova-Bienkowskaja, M. J.; Bie?kowski, A. O. (2018). Modeling long-distance dispersal of emerald ash borer in European Russia and prognosis of spread of this pest to neighboring countries within next 5 years. <i>Ecology and Evolution</i> 8(18):9295-9304.	Wrong topic
163	Ortiz, A. G.; Peres-Filho, O.; da Silva Junior, J. G.; de Souza, M. D.; Dorval, A. (2017). Record of <i>Leptocybe invasa</i> fisher & la salle (Hymenoptera: Eulophidae) in eucalyptus in the Mato Grosso state, Brazil. <i>Revista Espacios</i> 2017;38(28).	No full text in English
164	Ospanova, A., Anuarova, L., Spanbayev, A., Sharipova, A., Gabdulkhayeva, B., Zhumabekova, B., ... & Bairmurat, K. (2018). Fungal pathogens of shrubs in industrial cities. <i>Journal of Plant Diseases and Protection</i> , 125(1), 83-88.	Wrong topic
165	Ouellette, G. B. & Pronovost, R. (1998). Growth anomalies on linden trees related to their decline in Quebec: needs to apply preventive measures in the early life of trees. <i>Phytoprotection</i> .	No full text in English
166	Ozino, O. I. & Zeppa, G. (1988). Effect of entomopathogenic fungus inoculum on the control of <i>Corythucha ciliata</i> Say adults, wintering on plane trees of city groves. <i>Giornale di batteriologia, virologia ed immunologia</i> , 81(1-12), 32-39.	Wrong topic
167	Paap, T., Burgess, T. I., & Wingfield, M. J. (2017). Urban trees: bridge-heads for forest pest invasions and sentinels for early detection. <i>Biological invasions</i> , 19(12), 3515-3526.	Literature Review
168	Paja Živkovi, I., Skendži, S., & LEMI, D. (2021). Rapid spread and first massive occurrence of <i>Halyomorpha halys</i> (Stål, 1855) in agricultural production in Croatia. <i>Journal of Central European Agriculture</i> , 22(3), 531-538.	Wrong topic
169	Pajovi, I.; Petri, D.; Bellini, R.; Pajovi, L.; Quarrie, S. (2017). First record of anoplophoro glabripennis (Coleoptera: Cerambycidae) in Montenegro. <i>Baltic Forestry</i> 23(3):706-710	Wrong topic
170	Palmer, S., Martin, D., DeLauer, V. & Rogan, J. (2014). Vulnerability and adaptive capacity in response to the Asian longhorned beetle infestation in Worcester, Massachusetts. <i>Human Ecology</i> , 42(6), 965-977.	No specific impact
171	Paquette, A.; Sousa-Silva, R.; Maure, F.; Cameron, E.; Bellauau, M.; Messier, C. (2021). Praise for diversity: A functional approach to reduce risks in urban forests. <i>Urban Forestry and Urban Greening</i> 62.	Wrong topic
172	Park, K. H., Oh, S. Y., Park, M. S., Kim, M. S., Klopfenstein, N. B., Kim, N. K., ... & Lim, Y. W. (2018). Re-evaluation of <i>Armillaria</i> and <i>Desarmillaria</i> in South Korea based on ITS/tef1 sequences and morphological characteristics. <i>Forest Pathology</i> , 48(6), e12447.	Wrong topic

173	Parker, B. L., Skinner, M., Gouli, S., Ashikaga, T., & Teillon, H. B. (1998). Survival of hemlock woolly adelgid (Homoptera: Adelgidae) at low temperatures. <i>Forest Science</i> , 44(3), 414-420.	Wrong setting
174	Parker, K., Ryall, K., Aukema, B. H., & Silk, P. (2020). Early detection of <i>Agrilus planipennis</i> : investigations into the attractive range of the sex pheromone (3Z)-lactone. <i>Entomologia Experimentalis et Applicata</i> , 168(2), 166-173.	Wrong topic
175	Pastircáková, K., Ivanová, H., & Pastircák, M. (2018). Species diversity of fungi on damaged branches and leaves of ashes (spp.) in different types of stands in Slovakia. <i>Central European Forestry Journal</i> , 64(2), 133-139.	Multiple insect/pathogen and tree species
176	Paulin, M., Hirka, A., Eötvös, C. B., Gáspár, C., Fürjes-Mikó, Á., & Csóka, G. (2020). Known and predicted impacts of the invasive oak lace bug () in European oak ecosystems—a review. <i>Folia Oecologica</i> , 47(2), 131-139.	Literature Review
177	Payette, S., Fortin, M. J., & Morneau, C. (1996). The recent sugar maple decline in southern Quebec: probable causes deduced from tree rings. <i>Canadian Journal of Forest Research</i> , 26(6), 1069-1078.	Wrong setting
178	Pei, J., Li, C., Ren, L., & Zong, S. (2020). Factors influencing cold hardiness during overwintering of <i>Strelzoviella insularis</i> (Lepidoptera: Cossidae). <i>Journal of Economic Entomology</i> , 113(3), 1254-1261.	No specific impact
179	Perfecto, I., & Vandermeer, J. (2006). The effect of an ant-hemipteran mutualism on the coffee berry borer ( <i>Hypothenemus hampei</i> ) in southern Mexico. <i>Agriculture, Ecosystems &amp; Environment</i> , 117(2-3), 218-221.	Wrong setting
180	Peters, F. S., Holweg, C. L., Rigling, D., & Metzler, B. (2012). Chestnut blight in south-western Germany: multiple introductions of <i>Cryphonectria parasitica</i> and slow hypovirus spread. <i>Forest Pathology</i> , 42(5), 397-404.	No specific impact
181	Pinto, M. A. D. S., Gonçalves, A. P. S., Santos, S. A. P., Almeida, M. R. L. D., & Azevedo, J. C. M. D. (2014). Biological invasion of <i>Corythucha ciliata</i> in green urban spaces in Portugal: a niche modeling approach using maximum entropy. <i>Ciência Florestal</i> , 24(3), 597-607.	No full text in English
182	Pires, C. S., & Price, P. W. (2000). Patterns of host plant growth and attack and establishment of gall-inducing wasp (Hymenoptera: Cynipidae). <i>Environmental Entomology</i> , 29(1), 49-54.	No specific impact
183	Poland, T. M., & McCullough, D. G. (2006). Emerald ash borer: invasion of the urban forest and the threat to North America's ash resource. <i>Journal of Forestry</i> , 104(3), 118-124.	Literature Review
184	Polyakova, G.G. & Senashova, V.A. (2017). Influence of the Fungus <i>melampsorella caryophyllacearum</i> on dynamics of carbohydrates and secondary compounds in Siberian fir. <i>Mikrobiologiya i Fitopatologiya</i> 51(3):168-177	No full text in English
185	Pontius, J., Hanavan, R.P., Hallett, R.A., Cook, B.D., & Corp, L.A. (2017). High spatial resolution spectral unmixing for mapping ash species across a complex urban environment. <i>Remote Sensing of Environment</i> , 199, 360-369.	Wrong topic
186	Poyet, M., Le Roux, V., Gibert, P., Meirland, A., Prévost, G., Eslin, P., & Chabrerie, O. (2015). The Wide Potential Trophic Niche of the Asiatic Fruit Fly <i>Drosophila suzukii</i> : The Key of Its Invasion Success in Temperate Europe? <i>PLoS ONE</i> , 10.	Wrong topic
187	Price, J. I., McCollum, D. W., & Berrens, R. P. (2010). Insect infestation and residential property values: A hedonic analysis of the mountain pine beetle epidemic. <i>Forest Policy and Economics</i> , 12(6), 415-422.	No clear urban/rural distinction
188	Priscilla Brebi, M., Aguilera, A., Ojeda, N., & Rebolledo, R. (2011). Nuevos registros de insectos fitófagos asociados a canelo ( <i>Drimys winteri</i> Forst.) en La Araucanía. <i>Idesia (Arica)</i> , 29(2), 99-104.	No full text in English
189	Ramírez-Restrepo, L., & Halffter, G. (2016). Copro-necrophagous beetles (Coleoptera: Scarabaeinae) in urban areas: A global review. <i>Urban ecosystems</i> , 19(3), 1179-1195.	Literature Review
190	Ramsfield, T. D. (2016). Evolving symbioses between insects and fungi that kill trees in Canada: new threats associated with invasive organisms. <i>The Canadian Entomologist</i> , 148(S1), S160-S169.	Literature Review
191	Randolph, K. C., Rose, A. K., Oswalt, C. M., & Brown, M. J. (2013). Status of black walnut ( <i>Juglans nigra</i> L.) in the eastern United States in light of the discovery of thousand cankers disease. <i>Castanea</i> , 78(1), 2-14.	No clear urban/rural distinction

192	Rapisarda, C., & Longo, S. (2021). First report from Sicily (Italy) of the orange spiny whitefly, <i>Aleurocanthus spiniferus</i> (Quaintance) (Hemiptera: Aleyrodidae), and its potential risk for the Italian citrus industry. EPPO Bulletin, 51(2), 329-332.	Wrong topic
193	Redondo, M. A.; Boberg, J.; Stenlid, J.; Oliva, J. (2018). Functional traits associated with the establishment of introduced <i>Phytophthora</i> spp. in Swedish forests. Journal of Applied Ecology, 55(3):1538-1552	Wrong topic
194	Reynolds, H. L., Brandt, L., Fischer, B. C., Hardiman, B. S., Moxley, D. J., Sandweiss, E., ... & Fei, S. (2020). Implications of climate change for managing urban green infrastructure: an Indiana, US case study. Climatic Change, 163(4), 1967-1984.	Literature Review
195	Sadof, C. S., Hughes, G. P., Witte, A. R., Peterson, D. J., & Ginzel, M. D. (2017). Tools for staging and managing emerald ash borer in the urban forest. Arboric. Urban For, 43, 15-26.	Wrong topic
196	Schowalter, T. D., & Ring, D. R. (2017). Biology and Management of the Buck Moth, <i>Hemileuca maia</i> (Lepidoptera: Saturniidae). Journal of Integrated Pest Management, 8(1), 4.	Literature Review
197	Schowalter, T. D., & Ring, D. R. (2017). Biology and management of the fall webworm, <i>Hyphantria cunea</i> (Lepidoptera: Erebidae). Journal of Integrated Pest Management, 8(1).	Literature Review
198	Schröder, T. & Richter E. (2003). The horse chestnut scale insect <i>Pulvinaria regalis</i> CANARD, 1968 (Homoptera, Coccidae) - A new pest on urban trees in Braunschweig, Lower Saxony, Germany. Braunschweiger Naturkundliche Schriften 6(4):803-812	No full text in English
199	Schumacher, J. (2011). The general situation regarding ash dieback in Germany and investigations concerning the invasion and distribution strategies of <i>Chalara fraxinea</i> in woody tissue 1. EPPO Bulletin, 41(1), 7-10.	Literature Review
200	Selikhovkin, A. V., Drenkhan, R., Mandelshtam, M. Y., & Musolin, D. L. (2020). Invasions of insect pests and fungal pathogens of woody plants into the northwestern part of European Russia.	No full text in English
201	Selikhovkin, A. V., Popovichev, B. G., Mandelshtam, M. Y., Vasaitis, R., & Musolin, D. L. (2017). The frontline of invasion: the current northern limit of the invasive range of Emerald ash borer, <i>Agrilus planipennis</i> Fairmaire (Coleoptera: Buprestidae). Baltic Forestry, 23(1), 309-315.	No clear urban/rural distinction
202	Sellenschlo, U. (1988). Termiten in Hamburg. Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz, 61(6), 105-108.	No full text in English
203	Seybold, S. J., Klingeman III, W. E., Hishinuma, S. M., Coleman, T. W., & Graves, A. D. (2019). Status and impact of walnut twig beetle in urban forest, orchard, and native forest ecosystems. Journal of Forestry, 117(2), 152-163.	Literature Review
204	Shatz, A. J., Rogan, J., Sangermano, F., Ogneva-Himmelberger, Y., & Chen, H. (2013). Characterizing the potential distribution of the invasive Asian longhorned beetle ( <i>Anoplophora glabripennis</i> ) in Worcester County, Massachusetts. Applied Geography, 45, 259-268.	No specific impact
205	Sherald, J. L. (2007). Bacterial leaf scorch of landscape trees: what we know and what we do not know. Arboriculture and Urban Forestry, 33(6), 376.	Literature Review
206	Shogren, C., & Paine, T. D. (2016). Economic Benefit for Cuban Laurel Thrips Biological Control. Journal of Economic Entomology, 109(1), 93-99.	Wrong topic
207	Shu, J.P. & Pan, Y. Z. (2006). Study on cone life table of <i>Pinus armandii</i> . Forest Research 19(6):729-733	No full text in English
208	Shupranova, L. V., Holoborodko, K. K., Seljutina, O. V., & Pakhomov, O. Y. (2019). The influence of <i>Cameraria ohridella</i> (Lepidoptera, Gracillariidae) on the activity of the enzymatic antioxidant system of protection of the assimilating organs of <i>Aesculus hippocastanum</i> in an urbogenic environment. Biosystems Diversity, 27(3), 238-243.	No full text in English
209	Shvydenko, I. M., Stankevych, S. V., Zabrodina, I. V., Bulat, A. G., Pozniakova, S. I., Goroshko, V. V., ... & Matsyura, A. V. (2021). Diversity and distribution of leaf mining insects in deciduous tree plantations. A review. Ukrainian Journal of Ecology, 11(1), 399-408.	Literature Review
210	Siegert, N. W., Mercader, R. J., & McCullough, D. G. (2015). Spread and dispersal of emerald ash borer (Coleoptera: Buprestidae): estimating the spatial dynamics of a difficult-to-detect invasive forest pest. The Canadian Entomologist, 147(3), 338-348.	Literature Review
211	Silva-Castaño, A. F., Wilson, M. R., Brochero, H. L., & Franco-Lara, L. (2020). Biodiversity, bugs, and barcodes: the Cicadellidae associated with grassland and phytoplasmas in the Sabana de Bogotá, Colombia. Florida Entomologist, 102(4), 755-762.	No specific impact

212	Sjöman, H., Östberg, J., & Nilsson, J. (2014). Review of host trees for the wood-boring pests <i>Anoplophora glabripennis</i> and <i>Anoplophora chinensis</i> : an urban forest perspective. <i>Arboriculture &amp; Urban Forestry</i> , 40(3), 143-164.	Literature Review
213	Sjöman, H.; Östberg, J. (2019). Vulnerability of ten major Nordic cities to potential tree losses caused by longhorned beetles. <i>Urban Ecosystems</i> ;22(2):385-395.	Wrong topic
214	Snieškiene, V., Baležentiene, L., & Stankevičiūtė, A. (2016). Urban salt contamination impact on tree health and the prevalence of fungi agent in cities of the central Lithuania. <i>Urban forestry &amp; urban greening</i> , 19, 13-19.	Multiple insect/ pathogen and tree species
215	Solano, A., Rodriguez, S. L., Greenwood, L., Dodds, K. J., & Coyle, D. R. (2021). Firewood transport as a vector of forest pest dispersal in North America: a scoping review. <i>Journal of Economic Entomology</i> , 114(1), 14-23.	Literature Review
216	Song, J., Luo, Y., Shi, J., Yan, X., Chen, W., & Jiang, P. (2006). Niche of insect borers within <i>Pinus massoniana</i> infected by pine wood nematode. <i>Frontiers of Forestry in China</i> , 1(4), 460-463.	No full text in English
217	Stilwell, A. R., Smith, S. M., Cognato, A. I., Martinez, M., & Flowers, R. W. (2014). <i>Coptoborus ochromactonus</i> , n. sp. (Coleoptera: Curculionidae: Scolytinae), an emerging pest of cultivated balsa (Malvales: Malvaceae) in Ecuador. <i>Journal of Economic Entomology</i> , 107(2), 675-683.	Wrong setting
218	Straw, N. A., & Bellett-Travers, M. (2004). Impact and management of the horse chestnut leaf-miner ( <i>Cameraria ohridella</i> ). <i>Arboricultural Journal</i> , 28(1-2), 67-83.	Literature Review
219	Sturrock, R. N. (2012). Climate change and forest diseases: using today's knowledge to address future challenges. <i>Forest Systems</i> , 21(2), 329-336.	Literature Review
220	Sutherland, R., Soewarto, J., Beresford, R., & Ganley, B. (2020). Monitoring <i>Austropuccinia psidii</i> (myrtle rust) on New Zealand Myrtaceae in native forest. <i>New Zealand Journal of Ecology</i> , 44(2), 1-5.	Wrong setting
221	Sydnor, T. D., Bumgardner, M., & Todd, A. (2007). The potential economic impacts of emerald ash borer ( <i>Agrilus planipennis</i> ) on Ohio, US, communities. <i>Arboriculture &amp; Urban Forestry</i> . 33 (1): 48? 54., 33(1).	No clear urban/rural distinction
222	Szczepaniec, A.; Creary, S. F.; Laskowski, K. L.; Nyrop, J. P.; Raupp, M. J. (2011). Neonicotinoid insecticide imidacloprid causes outbreaks of spider mites on elm trees in urban landscapes. <i>PLOS ONE</i> 6(5).	Wrong topic
223	Takahashi, M., Itoya, Y., Mukouda, M., & Nishimura, K. (1998). Provenance differences of hiba ( <i>Thujopsis dolabrata</i> ) against resinous stem canker disease and spatial distribution of damage (disease severity) in a provenance test. <i>JOURNAL OF THE JAPANESE FORESTRY SOCIETY</i> , 80(3), 176-183.	No full text in English
224	Tomlinson, I., Potter, C., & Bayliss, H. (2015). Managing tree pests and diseases in urban settings: the case of Oak Processionary Moth in London, 2006–2012. <i>Urban Forestry &amp; Urban Greening</i> , 14(2), 286-292.	Wrong topic
225	Tomoshevich, M., Kirichenko, N., Holmes, K., & Kenis, M. (2013). Foliar fungal pathogens of European woody plants in Siberia: an early warning of potential threats? <i>Forest pathology</i> , 43(5), 345-359.	Multiple insect/ pathogen and tree species
226	Tsopelas, P., Santini, A., Wingfield, M. J., & Wilhelm de Beer, Z. (2017). Canker stain: a lethal disease destroying iconic plane trees. <i>Plant Disease</i> , 101(5), 645-658.	Literature Review
227	Tubby, K. V., & Pérez-Sierra, A. (2015). Pests and pathogen threats to plane ( <i>Platanus</i> ) in Britain. <i>Arboricultural Journal</i> , 37(2), 85-98.	Literature Review
228	Tubby, K. V., & Webber, J. F. (2010). Pests and diseases threatening urban trees under a changing climate. <i>Forestry: An International Journal of Forest Research</i> , 83(4), 451-459.	Literature Review
229	Turaliyeva, M., Yesibayev, A., Saparbekova, A., Akynova, L., Abildayeva, R., Sadenova, M., ... & Digel, I. (2016). Species composition and injuriousness of stranger xylophilous fauna affecting indigenous urban dendroflora of Central Asia. <i>Asian Journal of Microbiology, Biotechnology and Environmental Sciences</i> , 18(2), 359-366.	Multiple insect/ pathogen and tree species
230	Turner, J. A., Bulman, L. S., Richardson, B., & Moore, J. R. (2004). COST-BENEFIT ANALYSIS OF BIOSECURITY AND FOREST HEALTH RESEARCH. <i>New Zealand Journal of Forestry Science</i> , 34(3), 324-343.	No clear urban/rural distinction
231	Valenta, V.; Gilioli, G.; Schrader, G. (2017). Environmental risk analysis for the emerald ash borer <i>Agrilus planipennis</i> fairmare for Europe. <i>Journal fur Kulturpflanzen</i> 69(1):1-9	No full text in English

232	Vallejos-Barra, O., Paiva, C. V., Ponce-Donoso, M., & Álvarez, M. M. (2019). Detection of <i>Oryctomorphus bimaculatus</i> (Coleoptera: Scarabaeidae: Rutelinae) in <i>Platanus orientalis</i> , Talca, Chile. <i>Revista Colombiana de Entomología</i> , 45(1).	No full text in English
233	Vanden Broeck, A.; Cox, K.; Melosik, I.; Maes, B.; Smets, K. (2018). Genetic diversity loss and homogenization in urban trees: the case of <i>Tilia × europaea</i> in Belgium and the Netherlands. <i>Biodiversity and Conservation</i> 2018;27(14):3777-3792.	Wrong topic
234	Vander Vecht, J.; Conway, T. M. (2015). Comparing species composition and planting trends: Exploring pest vulnerability in Toronto's urban forest. <i>Arboriculture and Urban Forestry</i> 41(1):26-40	Wrong topic
235	Vasquez, J., Delgado, C., Couturier, G., Mejia, K., Freitas, L., & Del Castillo, D. (2008). Pest insects of the palm tree <i>Mauritia flexuosa</i> Lf, dwarf form, in Peruvian Amazonia. <i>Fruits</i> , 63(4), 227-238.	No clear urban/rural distinction
236	Vélez, A., & Horák, J. (2018). The importance of host characteristics and canopy openness for pest management in urban forests. <i>Urban Forestry &amp; Urban Greening</i> , 36, 84-89.	No specific impact
237	Veselkin, D. V., Kuyantseva, N. B., Chashchina, O. E., Mumber, A. G., Zamshina, G. A., & Molchanova, D. A. (2019). Levels of leaf damage by phylophages in invasive <i>Acer negundo</i> and Native <i>Betula pendula</i> and <i>Salix caprea</i> . <i>Russian Journal of Ecology</i> , 50(6), 511-516.	Multiple insect/pathogen and tree species
238	Vétek, G., & Rédei, D. (2009). First record of <i>Acizzia jamatonica</i> (Kuwayama)(Hemiptera: Psyllidae) in Bulgaria. <i>Acta zoologica bulgarica</i> , 61(3), 323-325.	Literature Review
239	Vreulink, J. M., Khayhan, K., Hagen, F., Botes, A., Moller, L., Boekhout, T., ... & Botha, A. (2017). Presence of pathogenic cryptococci on trees situated in two recreational areas in South Africa. <i>Fungal Ecology</i> , 30, 101-111.	No specific impact
240	Wang, B., Tian, C., & Sun, J. (2019). Effects of landscape complexity and stand factors on arthropod communities in poplar forests. <i>Ecology and Evolution</i> , 9, 7143 - 7156.	Wrong setting
241	Wichuk, K. M.; McCartney, D.; Bansal, V. K.; Tewari, J. P. (2011). Composting Effect on Three Fungal Pathogens Affecting Elm Trees in Edmonton, Alberta. <i>Compost Science and Utilization</i> 19(3):152-162.	Wrong topic
242	Wikler, K., Storer, A. J., Newman, W., Gordon, T. R., & Wood, D. L. (2003). The dynamics of an introduced pathogen in a native Monterey pine ( <i>Pinus radiata</i> ) forest. <i>Forest Ecology and Management</i> , 179(1-3), 209-221.	No clear urban/rural distinction
243	Xiao-Hui, G., Ming-Yang, C., Ya-Feng, H., Tuan-Tuan, D., Sha, Z., Hai-Li, Y., & Lian-Xi, X. (2017). The complete mitochondrial genome of the monophagous moth <i>Protegira songi</i> (Lepidoptera: Noctuidae). <i>Conservation Genetics Resources</i> , 9(2), 277-279.	Wrong topic
244	Xu, Z. H., Li, C. H., Liu, J., Yu, K. Y., Gong, C. H., & Tang, M. Y. (2014). Fisher discriminant analysis of <i>Dendrolimus punctatus</i> Walker pest levels. <i>Trans Chin Soc Agric Mach</i> , 45(6), 275-283.	No full text in English
245	Xu, Z., Jiang, Z., Jiang, H., Wu, X., & Liang, X. (2000). Study on biological aspects and control strategies of <i>Pseudasphondylia diospyros</i> (Diptera: Cecidomyiidae). <i>Forest Research</i> , Beijing, 13(1), 57-62.	No full text in English
246	Xu, Z.; Huang, X.; Zhang, H.; Liu, J.; Chen, C. (2017). Construction of <i>Dendrolimus punctatus</i> Walker damage characteristic index (DDCI) and pest level identification ability. <i>Disaster Advances</i> 2017;10(3):16-26	No full text found
247	Yaman, M., Erturk, O., Unal, S., & Selek, F. (2017). Isolation and identification of bacteria from four important poplar pests. <i>Revista Colombiana de Entomología</i> , 43(1), 34-37.	No full text in English
248	Yamazaki, K., Kitamoto, T., Yariyama, Y., & Sugiura, S. (2007). An analysis of spatial distribution in the exotic slug caterpillar <i>Parasa lepida</i> (Cramer)(Lepidoptera: Limacodidae) at an urban coastal site in central Japan. <i>The Pan-Pacific Entomologist</i> , 83(3), 193-199.	Wrong topic
249	Yan, P., & Yang, J. (2018). Performances of urban tree species under disturbances in 120 cities in China. <i>Forests</i> , 9(2), 50.	Literature Review
250	Yan, Q., Li, H. D., Chen, Y., Ye, Z. F., You, X. Y., Zhou, J., ... & Dong, S. L. (2018). Identification and field evaluation of the sex pheromone of <i>Orthaga achatina</i> (Lepidoptera: Pyralidae). <i>Journal of chemical ecology</i> , 44(10), 886-893.	Wrong topic
251	Yang, X. H.; Yu, Y. H.; Cao, S. G.; Luo, Y. Q.; Luo, J. T.; Wang, J. J. (2013). Morphology and biology of <i>Endoclyta signifer</i> Walker (Lepidoptera:Hepialidae), a new wood borer on eucalyptus. <i>Forest Research</i> 26(1):34-40.	No full text in English

252	Yao, Y.; Zhao, W.; Chang, J.; Qu, Z.; Li, Z. (2012). Investigation of populations of parasitic wasps parasitizing <i>Carposina sasakii</i> Matsumura (Lepidoptera: Carposinidae) in jujube orchards in China, with respect to the wasp-host relationship. <i>Acta Ecologica Sinica</i> 2(12):3714-3721	No full text in English
253	Yazid, J. B., Chafik, Z., Bousamid, A., & Kharmach, I. B. E. Z. (2020). Population dynamics and seasonal occurrence of mediterranean fruit fly ( <i>Ceratitis capitata</i> wiedemann, 1824) in moulouya perimeter north east of Morocco. <i>Indian Journal of Ecology</i> , 47(2), 564-569.	No full text in English
254	Zhang, C. Q., & Xu, B. C. (2012). First Report of Anthracnose in Chinese Hickory ( <i>Carya cathayensis</i> ) Caused by <i>Colletotrichum gloeosporioides</i> in China. <i>Plant Disease</i> , 96(12), 1825-1825.	No full text available
255	Zhang, H., Wei, Z., Liu, X., Zhang, J., & Diao, G. (2021). Growth and decline of arboreal fungi that prey on <i>Bursaphelenchus xylophilus</i> and their predation rate. <i>Journal of Forestry Research</i> , 1-11.	No specific impact
256	Zlatkovi, M., Kea, N., Wingfield, M. J., Jami, F., & Slippers, B. (2016). Botryosphaeriaceae associated with the die-back of ornamental trees in the Western Balkans. <i>Antonie Van Leeuwenhoek</i> , 109(4), 543-564.	No full text in English