

**Flora and plant communities across a complex network of heavily modified water bodies:
local geographical patterns, land use and hydrochemical drivers**

Irene Montanari(1)(2), Nicola De Bernardini(3), Gina Gizzi(1), Rossano Bolpagni(4)(5), Fabrizio Buldrini(1)*, Louise Campione(1), Ilenia Castellari(1), Sara Landi(1)(5), Luigi Spiezia(1), Alessandro Chiarucci(1)

(1) BIOME Lab - Department of Biological, Geological and Environmental Science, University of Bologna. Via Irnerio 42, 40126 Bologna.

(2) Regional Agency for Prevention, Environment and Energy of Emilia-Romagna (Arpaee Emilia-Romagna). Via Po 5, 40100 Bologna.

(3) Department of Biology, University of Padova. Via U. Bassi 58/b, 35121 Padova

(4) Department of Chemistry, Life Sciences and Environmental Sustainability, University of Parma. Viale delle Scienze 11/a, 43124 Parma.

(5) GREENARCO S.r.l., Spin-Off of the University of Bologna. Viale Giuseppe Fanin 48, 40127 Bologna.

* Corresponding author: fabrizio.buldrini@unibo.it

Supplementary material 3 Average slope for each type of canal (L = large canals, M = medium canals, S = small canals, H₂O = canals for which both vegetation and water quality data are available)

Canal type	Average slope (%)	Standard deviation (σ)
L	0,12	0,10
M	0,12	0,12
S	0,14	0,11
H ₂ O	0,12	0,16